SULLIVAN'S ISLAND DESIGN REVIEW BOARD SUBMITTAL APPLICATION (PAGE 1)

PROPERTY ADDRESS: 1204 Middle Street Histor	ic House PARCEL ID (TMS #): 523-07-00-058
SUBMITTAL DATE: 07.18.2025	• • • • • • • • • • • • • • • • • • • •
REQUEST: CONCEPTUAL REVIEW: P	RELIMINARY APPROVAL: FINAL APPROVAL:
DESCRIPTION OF SCOPE OF WORK: This applica	ation is for the historic house only.
rehabiliation and repair of existing historic structure mai	
Submittal <i>outside</i> of the Historic District, not classified	d historic, and requests DRB relief
Submittal is outside of the Historic District and design	
DRB relief requests No DRB requests	
\checkmark Submittal is <i>within</i> the Historic District and is:	
designated as Historic Resource DRB :	
Not designated as a Historic Resource:	
DRB SUBMITTAL CHECKLIST: The following items must	be included in the submittal for placement on the DRB agenda.
✓ Application fee (Historic properties: \$116.00; New cons	•
✓ Completes and signed submittal application (Page 1). (
✓ Zoning Standards Compliance Worksheet (Page 2). (All	
✓ Neighborhood Compatibility Worksheet (Page 3). (All s	
Historic Design Review Worksheet (Page 4). (All submis	
✓ Online submittal through BSA; Town of Sullivan's Island ✓ Two (2) sets of drawings, no bigger than 11X17"; Drawing	
✓ Iwo (2) sets of drawings, no bigger than TTAT7; Drawings, n	
	s outside of an existing building footprint; illustrating the following:
All applicable Flood Zone information	 OCRM Critical Lines, or Baseline and Setback if applicable
Setbacks, property lines and easements	 Existing Structures, if applicable
 Spot elevations required to comply with § 21-24 ✓ Site Plan [1/16" = 1'-0" OR 1" = 20'-0" scale], illustrating the formula in t	ollowing:
 Existing structures, if applicable 	All applicable survey information
Proposed new structures	Narrative for Scope of Work (all Historic projects)
✓ Floor Plans [1/8" = 1'-0" scale], with the following requirement	s:
Exterior dimensions	 In the case of renovations and/or additions, the outlines of
Graphically depict the outlines of heated space, covered perspectation and open depicts.	existing and new construction must also be shown.
porches and open decks. ✓Exterior Elevations [1/8" = 1'-0" scale], with the following requ	irements:
All exterior materials such as wood, stucco, roofing and / or	Roof ridge heights to natural grade. Finished Floor Elevation
masonry shall be graphically represented for intent.	(FFE), Lowest Structural Member (LSM), Base Flood Elevation
Must be rendered with shadows depicting roof and / or deck	(BFE) to finish grade.
overhangs, changes in wall plane, or massing.	 Detailed descriptions of treatment of all historic materials. (al Historic projects
Conditional/Optional:	riistorio projects
	pe renderings that include adjacent properties are always encouraged and
are required for submissions with requests for relief, additional	
Any relevant photographs or documentation that might be described.	
OWNER NAME: catholic diocese of charleston c/o Father McIne	
ADDRESS: 1204 Middle Street . Sullivan's Island, SC	EMAIL:
ARCHITECT/DESIGNER: e. e. fava architects, etc	PHONE NUMBER: <u>843.723.5099</u>
ADDRESS: 54 Broad Street, Charleston, SC 29401	EMAIL: e@eefava.com
CONTRACTOR: Hill Construction	PHONE NUMBER:
ADDRESS: 295 Seven Farms Drive #301, Charleston,	SC 29492 EMAIL:
(Initials): I understand that incomplete application	ons will be rejected.
I (we) submit that the above information is true	If Owner is not the Applicant:
to the best of my (our) knowledge.	I (we) hereby appoint the person named as applicant as my
e. e. fava	(our) agent to represent me (us) in this application
Applicant name (print)	Owner's signature
e e fava architects	Omici o digitaturo // // //
Applicant's signature	Owner's signature

ZONING STANDARDS COMPLIANCE WORKSHEET (PAGE 2)

		Zoning ordinance reference section	Zoning Standard	√if meets standard	DRB's Max. authorty for relief	applicant request for relief	Percent (%) relief requested	Total allowed + requested relief (SF)
SETBACKS	Α	21-22 FRONT SETBACK	25 Feet	✓	15%			, ,
	В	21-22 ADDITIONAL FRONT YARD SETBACK	45 above 20'	>	15%			
	С	21-22 SIDE SETBACK	per lot: Enter result:min:comb:	no change	25%	no change fro approval see	om existing - per z A100 for additiona	oning variance al information
	D	21-22 SECOND STORY SIDE SETBACK	per lot: Enter result:min:comb:	✓	25%	no change fro approval see	m existing - per zo A100 for additiona	oning variance I information
	E	21-22 REAR SETBACK	25 feet	✓	N/A	х	х	Х
AGE	F	21-25 PRINCIPAL BUILDING COVERAGE	as per formula:enter result sf	~	20%	no change fro approval see	m existing - per zo A100 for additiona	oning variance Il information
LOT COVERAGE	G	21-26 IMPERVIOUS COVERAGE	as per formula:enter result 30% sf maximum	~	N/A	Х	Х	Х
	Н	21-27 PRINCIPAL BUILDING SQUARE FOOTAGE	as per formula:enter result sf	>	A: New Construction / Non-historic additions: 15%sf (not to exceed 500 sf) B: Historic additions: 20%sf C: Historic ADU Special Exceptions:	no change fr approval see	om existing - per z A100 for addition	oning variance al information
	1	21-28 THIRD STORY	as per formula:enter result sf	✓	15%sf			
DESIGN STANDARDS	J	21-22 PRINCIPAL BUILDING FRONT FAÇADE	50' feet or, 2/3 lot width (whichever is less)	~	15%			
	К	21-22 PRINCIPAL BUILDING SIDE FAÇADE	38 feet (wall length) 16 feet within 15 ft x 2 16-in articulations	~	25%	no change fro approval see	m existing - per zo A100 for additiona	oning variance I information
	L	21-22 2ND STORY SIDE FAÇADE SETBACK	32 feet (wall length) 6-foot (knee wall) 16-in articulations	~	25%	no change fro approval see	om existing - per zo A100 for additiona	oning variance Il information
	М	21-30 BUILDING ORIENTATION	towards ocean, excluding marsh and ocean lots	>	Adjust for Neighborhood Compatablity			
	N	21-30 BLDG. FOUNDATION HEIGHT	8' to LSM & 9'4" to FFE	✓	1 foot			
	0	21-32 FOUNDATION ENCLOSURE	1/2" space	✓	Adjust for Neighborhood Compatablity			
	Р	21-138 ACCESSORY STRUCTURE	Height (15 to 18) Setback (20)	✓	20% Height (3 ft 6 in) 40%(4')			

NEIGHBORHOOD COMPATIBILTY WORKSHEET (PAGE 3)

Have you reached out to the neighbors to get their feedback on the proposed plans? Yes: $\underline{\checkmark}$ No: $_$	-
In accordance with the Sullivan's Island Zoning Ordinance, Section 21-111, the DRB shall only grant modifications of the Zoning Ordinance standards if the design is compatible with the surrounding neighborhood. See the DRB application submittal guidance document for additional information for filling in this form. Lot area: 39,142 sf Highland lot area:sf (if applicable)	
Principal Building Square Footage (21-27): Existing SF: Standard SF: Proposed SF: not requested	
Principal Building Coverage (21-25): Existing SF: Standard SF: Proposed SF: not requested	
Front/Side/2 nd -Story Building Setbacks (21-22): Standard, combined Proposed, combined, min not requested	
Second Story Side Façade Setback (21-22): Requested relief:	
Principal Building Side Façade Setback (21-22): Requested Relief: not requested	
Other (circle any that apply): Third Story, Principal Building Front Façade, Building Orientation, Building Foundation Height, Foundation Enclosure, or Accessory Structure: not requested	

REQUEST FOR HISTORIC DESIGN REVIEW (PAGE 4)

Do you propose any exterior changes to the historic structure? Yes:	<u> </u>	No:
If you answered "yes", please provide a detailed explanation and sequen	ce of	the work below:
Section 21-97. C Historic Preservation Standards:		

Submit in writing and be prepared to describe how your project is consistent with the following ten preservation standards, and the most recent version of the Secretary of Interior's Guidelines for the Treatment of Historic Properties. **On your elevation drawings show all existing conditions and proposed changes. Detail existing materials and highlight all new and preserved architectural and structural elements.

https://www.nps.gov/tps/standards/treatment-guidelines-2017.pdf

- (a) Using a property as it was used historically or giving a new use that requires minimal change to its distinctive materials, features, spaces, and spatial relationships;
- (b) Retaining and preserving the historic character of a property; avoidance of the removal of distinctive materials or alteration of features, spaces, and spatial relationships that characterize a property;
- (c) Avoiding changes that create a false sense of historical development, such as adding conjectural features or elements from other buildings:
- (d) Retaining and preserving changes to a property that have acquired historic significance in their own right;
- (e) Preserving distinctive materials, features, finishes, and construction techniques or examples of craftsmanship that characterize a property;
- (f) Repairing rather than replacing deteriorated historic features; or where the severity of deterioration requires replacement of a distinctive feature, the new feature will match the old in design, color, texture, and, where possible, materials;
- (g) Utilizing the gentlest means of chemical or physical treatments;
- (h) Protecting and preserving the archeological resources in place, and if disturbing, mitigation measures will be undertaken;
- (i) Not destroying historic materials, features, and spatial relationships that characterize the property; differentiating the new work from the old and making it compatible with the historic materials, features, size, scale, and proportion, and massing to protect the integrity of the property and its environment; and,
- (j) Undertaking new construction in such a manner that, if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

There is no proposed expansion of the existing enclosed building envelope. All exterior work is limited to the repair of deteriorated or damaged materials using methods consistent with the Secretary of the Interior's Standards for Rehabilitation, as outlined in the drawing set dated 07.18.2025. These repairs will preserve and match the original materials in design, color, texture, and composition.

The proposed accessibility ramp is required for code compliance and has been carefully located at the rear of the structure in accordance with the Sullivan's Island Design Guidelines. This placement minimizes its visual impact and avoids alteration to the building's historic front or any primary character-defining features.

(Please use extra sheet as needed)