SULLIVAN'S ISLAND DESIGN REVIEW BOARD SUBMITTAL APPLICATION (PAGE 1)

SUBMITTAL A	PPLICATION (PAGE 1)
PROPERTY ADDRESS: 2857 Jasper Blvd	PARCEL ID (TMS #): 529-07-00-041
SUBMITTAL DATE: 05/21/25	MEETING DATE: 06/18/25 PRELIMINARY APPROVAL: FINAL APPROVAL:
REQUEST: CONCEPTUAL REVIEW: DESCRIPTION OF SCOPE OF WORK: 25% side settle	ack relief requested for new pool
Submittal outside of the Historic District, not classifie	ed historic, and requests DRB relief.
Submittal is <i>outside</i> of the Historic District and desig DRB relief requests No DRB request	nated as a historic resource.
Submittal is within the Historic District and is:	
designated as Historic Resource DRB	
	DRB relief requests No DRB requests
Application fee (Historic properties: \$116.00; New cor	st be included in the submittal for placement on the DRB agenda.
Completes and signed submittal application (Page 1).	
Zoning Standards Compliance Worksheet (Page 2). (A	
Neighborhood Compatibility Worksheet (Page 3). (All	
Historic Design Review Worksheet (Page 4). (All subm	
Online submittal through BSA; Town of Sullivan's Islan	nd online submittal portal.
Two (2) sets of drawings, no bigger than 11X17"; Draw	
A current as-built survey, Certified by a S.C. Registered Land S	Surveyor [1/16"= 1'-0" OR 1"= 20'-0" r is outside of an existing building footprint; illustrating the following:
 All applicable Flood Zone information 	OCRM Critical Lines, or Baseline and Setback if applicable
Setbacks, property lines and easements	Existing Structures, if applicable
Spot elevations required to comply with § 21-24	
_Site Plan [1/16" = 1'-0" OR 1" = 20'-0" scale], illustrating the	following:
Existing structures, if applicable Proposed new structures	Narrative for Scope of Work (all Historic projects)
_Floor Plans [1/8" = 1'-0" scale], with the following requireme	
Exterior dimensions	In the case of renovations and/or additions, the outlines of
Graphically depict the outlines of heated space, covered	existing and new construction must also be shown.
orches and open decks. Exterior Elevations [1/8" = 1'-0" scale], with the following req	uirements:
All exterior materials such as wood, stucco, roofing and / or	Roof ridge heights to natural grade. Finished Floor Elevation
nasonry shall be graphically represented for intent.	(FFE), Lowest Structural Member (LSM), Base Flood Elevation
Must be rendered with shadows depicting roof and / or deck	(BFE) to finish grade. • Detailed descriptions of treatment of all historic materials. (all
verhangs, changes in wall plane, or massing.	Historic projects
Conditional/Optional:	and arings that include adjacent properties are always encouraged and
3-D perspective sketches and / or models, as well as streets are required for submissions with requests for relief, addition	cape renderings that include adjacent properties are always encouraged and
Any relevant photographs or documentation that might be de	scriptive (of adjacent properties).
OWNER NAME: Stirling + Emily Morrison	PHONE NI IMRER: 504-236-6096 emilylmmorrison@gmail.c
ADDRESS: 2857 Jasper Blvd., Sullivans Island, SC 2	
RCHITECT/DESIGNER: Wertimer + Cline, Cindy	Cline PHONE NUMBER: 843-577-3360
DDRESS: 171 Church Street, Suite 350, Charleston	
CONTRACTOR:	PHONE NUMBER:
NDDRESS:	EMAIL:
(Initials): I understand that incomplete applicat	ions will be rejected.
(we) submit that the above information is true	If Owner is not the Applicant:
o the best of my (our) knowledge.	I (we) hereby appoint the person named as applicant as my
Cindy Cline	(our) agent to represent me (us) in this application
Applicant name (pping).	Only's signature /
Cindy Cline	me
Applicant's signature	Owner's signature

SULLIVAN'S ISLAND DESIGN REVIEW BOARD SUBMITTAL APPLICATION (PAGE 1)

PROPERTY AI	DDRESS: 2857 Jasper Blvd		PARCEL ID	(TMS #)	529-07-00-041
11101 2111171	SUBMITTAL DATE: 05/21/25		1EETING DATE: 06		
REQUEST:	CONCEPTUAL REVIEW:		1INARY APPROVA		FINAL APPROVAL: 🗸
	N OF SCOPE OF WORK: 25% side			ew pool.	
v	tside of the Historic District, not class			relief.	
	outside of the Historic District and des		s a historic resource.		
	DRB relief requests No DRB reque	ests			
	within the Historic District and is:	DD rolinfr	augusta Na DDP ra	aucoto	
	designated as Historic Resource D Not designated as a Historic Resource				ests
	TAL CHECKLIST: The following items r				
	ee (Historic properties: \$116.00; New o				
	nd signed submittal application (Page			Toriovatio	π3. φ420.00)
	lards Compliance Worksheet (Page 2).			uests)	
_	od Compatibility Worksheet (Page 3). (A				
Historic Desi	gn Review Worksheet (Page 4). (All sub	missions	involving a designated	d Historic	Resource)
	ittal through BSA; Town of Sullivan's Is				
	of drawings, no bigger than 11X17"; Dra			O.II	
	lt survey, Certified by a S.C. Registered Lan w construction and for work which expands				Justrating the following:
•	lood Zone information	701 10 001010		-	e and Setback if applicable
	erty lines and easements		• Existing Structures, i	f applicabl	е
	required to comply with § 21-24	bla a fall accide	∞.		
 Existing structure 	' = 1'-0" OR 1" = 20'-0" scale], illustrating t res. if applicable	ne rottowing	g: • All applicable survey	/ informatio	on.
 Proposed news 			Narrative for Scope of		
Floor Plans [1/8	" = 1'-0" scale], with the following requirer	nents:			
Exterior dimens Crapbically day					or additions, the outlines of
porches and open	ict the outlines of heated space, covered decks.		existing and new const	ruction mu	st also be snown.
	ons [1/8" = 1'-0" scale], with the following r	equirement	s:		
	erials such as wood, stucco, roofing and / o	r		_	de. Finished Floor Elevation
	graphically represented for intent. ed with shadows depicting roof and / or dec	dz.	(FFE), Lowest Structura (BFE) to finish grade.	ıl Member (LSM), Base Flood Elevation
	es in wall plane, or massing.	K	Detailed descriptions of treatment of all historic materials. (all		
overnange, onanges in water plane, or mussing.			Historic projects		
Conditional/	·				
	sketches and / or models, as well as street ubmissions with requests for relief, addit				
· · · · · · · · · · · · · · · · · · ·	otographs or documentation that might be		. •	_	
OWNER NAM	E: Stirling + Emily Morrison	PHC	NE NUMBER: 504	1-236-609	
ADDRESS: 28	357 Jasper Blvd, Sullivan's Island, SC	29482	EM <i>A</i>	AIL:	stirmorr1@yahoo.com
	DESIGNER: Wertimer + Cline, Cindy		PHONE NUMBEI		77-3360
	'1 Church Street, Suite 350, Charlest		-		
	R:				
ADDRESS:					
	s): I understand that incomplete applic	ations will			
•	t the above information is true		ner is not the Applica	nt:	
, ,	/ (our) knowledge.		ereby appoint the perso		s applicant as my
Cindy Cline		(our) ag	gent to represent me (us) in this app	olication
Applicant name	: (vDipt).	Owner	 's signature		
(indy)	line				
Applicant's sign	ature	Owner	's signature		

ZONING STANDARDS COMPLIANCE WORKSHEET (PAGE 2)

		Zoning ordinance reference section	Zoning Standard	√if meets standard	DRB's Max. authorty for relief	applicant request for relief	Percent (%) relief requested	Total allowed + requested relief (SF)
	Α	21-22 FRONT SETBACK	25 Feet	V	15%			
SETBACKS	В	21-22 ADDITIONAL FRONT YARD SETBACK	45 above 20'		15%			
	С	21-22 SIDE SETBACK	per lot: Enter result: 15' min: 38' comb:		25%	25% setback relief requested for 25' side setback for new pool	25%	15'-9" allowed 11'-8" requested 53 SF coverage added
	D	21-22 SECOND STORY SIDE SETBACK	per lot: Enter result:min:comb:		25%			
LOT COVERAGE	E	21-22 REAR SETBACK	25 feet	✓	N/A	х	X	х
	F	21-25 PRINCIPAL BUILDING COVERAGE	as per formula:enter result sf	✓	20%			
	G	21-26 IMPERVIOUS COVERAGE	as per formula:enter result 30% sf maximum	>	N/A	х	X	х
	Н	21-27 PRINCIPAL BUILDING SQUARE FOOTAGE	as per formula:enter result sf	n/a	A: New Construction / Non-historic additions: 15%sf (not to exceed 500 sf) B: Historic additions: 20%sf C: Historic ADU Special Exceptions:			
	I	21-28 THIRD STORY	as per formula:enter result sf	n/a	15%sf			
တ္	J	21-22 PRINCIPAL BUILDING FRONT FAÇADE	50' feet or, 2/3 lot width (whichever is less)	n/a	15%			
DESIGN STANDARDS	К	21-22 PRINCIPAL BUILDING SIDE FAÇADE	38 feet (wall length) 16 feet within 15 ft x 2 16-in articulations	n/a	25%			
	L	21-22 2ND STORY SIDE FAÇADE SETBACK	32 feet (wall length) 6-foot (knee wall) 16-in articulations	n/a	25%			
	М	21-30 BUILDING ORIENTATION	towards ocean, excluding marsh and ocean lots	n/a	Adjust for Neighborhood Compatablity			
	Ν	21-30 BLDG. FOUNDATION HEIGHT	8' to LSM & 9'4" to FFE	n/a	1 foot			
	0	21-32 FOUNDATION ENCLOSURE	1/2" space	n/a	Adjust for Neighborhood Compatablity			
	Р	21-138 ACCESSORY STRUCTURE	Height (15 to 18) Setback (20)	n/a	20% Height (3 ft 6 in) 40%(4')			

NEIGHBORHOOD COMPATIBILTY WORKSHEET (PAGE 3)

Have you reached out to the neighbors to get their feedback on the proposed plans? Yes: 🗸 No:
In accordance with the Sullivan's Island Zoning Ordinance, Section 21-111, the DRB shall only grant modifications of the Zoning Ordinance standards if the design is compatible with the surrounding neighborhood. See the DRB application submittal guidance document for additional information for filling in this form. Lot area: 22,923 sf Highland lot area:sf (if applicable)
Principal Building Square Footage (21-27): Existing SF: Standard SF: Proposed SF:
Principal Building Coverage (21-25): Existing SF: 2614 Standard SF: Proposed SF:
Front/Side/2 nd -Story Building Setbacks (21-22): Standard, combined 38' Proposed, combined 32.67', min 11'-8" 25% side setback relief requested for new swimming pool. 15'-9" side setback requested to be 11'-8"
Second Story Side Façade Setback (21-22): Requested relief:n/a
Principal Building Side Façade Setback (21-22): Requested Relief: _n/a
Other (circle any that apply): Third Story, Principal Building Front Façade, Building Orientation, Building Foundation Height, Foundation Enclosure, or Accessory Structure:

REQUEST FOR HISTORIC DESIGN REVIEW (PAGE 4)

Do you propos	se any exterior changes to the historic structure? Yes: $_$	No: <u>n/a</u>
If you answered "	yes", please provide a detailed explanation and sequen	ce of the work below:

Section 21-97. C Historic Preservation Standards:

Submit in writing and be prepared to describe how your project is consistent with the following ten preservation standards, and the most recent version of the Secretary of Interior's Guidelines for the Treatment of Historic Properties. **On your elevation drawings show all existing conditions and proposed changes. Detail existing materials and highlight all new and preserved architectural and structural elements.

https://www.nps.gov/tps/standards/treatment-guidelines-2017.pdf

- (a) Using a property as it was used historically or giving a new use that requires minimal change to its distinctive materials, features, spaces, and spatial relationships;
- (b) Retaining and preserving the historic character of a property; avoidance of the removal of distinctive materials or alteration of features, spaces, and spatial relationships that characterize a property;
- (c) Avoiding changes that create a false sense of historical development, such as adding conjectural features or elements from other buildings;
- (d) Retaining and preserving changes to a property that have acquired historic significance in their own right;
- (e) Preserving distinctive materials, features, finishes, and construction techniques or examples of craftsmanship that characterize a property;
- (f) Repairing rather than replacing deteriorated historic features; or where the severity of deterioration requires replacement of a distinctive feature, the new feature will match the old in design, color, texture, and, where possible, materials;
- (g) Utilizing the gentlest means of chemical or physical treatments;
- (h) Protecting and preserving the archeological resources in place, and if disturbing, mitigation measures will be undertaken;
- (i) Not destroying historic materials, features, and spatial relationships that characterize the property; differentiating the new work from the old and making it compatible with the historic materials, features, size, scale, and proportion, and massing to protect the integrity of the property and its environment; and,
- (j) Undertaking new construction in such a manner that, if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

(Please use extra sheet as needed)