SULLIVAN'S ISLAND DESIGN REVIEW BOARD SUBMITTAL APPLICATION (PAGE 1)

PROPERTY AD	DRESS:	PARCEL ID (TMS#):				
	SUBMITTAL DATE:	М				
REQUEST:						
	OF SCOPE OF WORK:					
DECORUM MON						
Submittal out	side of the Historic District, not class	ified histori	and requests DRR relief			
	outside of the Historic District, not class			•		
	DRB relief requests No DRB reque					
	vithin the Historic District and is:					
d	lesignated as Historic ResourceDl	RB relief red	uestsNo DRB request	s		
N	Not designated as a Historic Resource	:DRB re	lief requestsNo DRB re	equests		
DRB SUBMITTA	AL CHECKLIST: The following items n	nust be inclu	ded in the submittal for place	ment on the DRB agenda.		
Application fee	e (Historic properties: \$116.00; New c	onstruction	s: \$1,280; Addition/renova	ations: \$426.60)		
	d signed submittal application (Page 1					
	ards Compliance Worksheet (Page 2).					
•	Compatibility Worksheet (Page 3). (A			. 5		
	gn Review Worksheet (Page 4). (All sub			oric Resource)		
	ttal through BSA; Town of Sullivan's Isl					
	f drawings, no bigger than 11X17"; Dra survey, Certified by a S.C. Registered Land					
	construction and for work which expands			nt: illustrating the following:		
	ood Zone information			seline and Setback if applicable		
	ty lines and easements	•	Existing Structures, if applic	cable		
	equired to comply with §21-24	ha fallawia a				
 Existing structure 	= 1'-0" OR 1" = 20'-0" scale], illustratingt		All applicable survey inform	nation		
Proposed new str	• • •		Narrative for Scope of Work			
	= 1'-0" scale], with the following requirem	nents:		(3)		
 Exterior dimension 	ons	•		and/or additions, the outlines of		
	ct the outlines of heated space, covered	(existing and new construction	must also be shown.		
porches and open d	necks. ns [1/8" = 1'-0" scale],	aquiraments				
	rials such as wood, stucco, roofing and / or			al grade. Finished Floor Elevation		
	aphically represented for intent.			ber (LSM), Base Flood Elevation		
	d with shadows depicting roof and / or decl		BFE) to finish grade.			
overhangs, changes	s in wall plane, or massing.			eatment of all historic materials. (all		
Conditional/C	Ontional:		Historic projects			
	sketches and / or models, as well as streets	scape rende	ings that include adjacent pro	operties are always encouraged and		
•	bmissions with requests for relief, additi			age.		
	tographs or documentation that might be o					
	፤:	PHO				
ADDRESS:						
ARCHITECT/DI	ESIGNER:		PHONE NUMBER:			
ADDRESS:			EMAIL:			
CONTRACTOR	t	PHON	IE NUMBER:			
ADDRESS:			EMAIL:			
	: I understand that incomplete applic	ations will b	e rejected.			
	the above information is true		er is not the Applicant:			
to the best of my	(our) knowledge.		reby appoint the person name			
		(our) age	ent to represent me (us) in this	s application		
		Owner n	ame (print)			
			(p······)			
Applicant's signatur	-e	Owner's	signature			

ZONING STANDARDS COMPLIANCE WORKSHEET (PAGE 2)

		Zoning ordinance reference section	Zoning Standard	if meets standard	DRB's Max. authorty for relief	applicant request for relief	Percent (%) relief requested	Total allowed + requested relief (SF)
SETBACKS	Α	21-22 FRONTSETBACK	25 Feet		15%			, ,
	В	21-22 ADDITIONAL FRONTYARD SETBACK	45 above 20'		15%			
	С	21-22 SIDE SETBACK	per lot: Enter result:min:comb:		25%			
	D	21-22 2ND STORY SIDE FAÇADE SETBACK	10 feet (wall length) 2' setbackfrom wall		100%			
	Е	21-22 REAR SETBACK	25 feet		N/A	Х	Χ	Х
COVERAGE	F	21-25 PRINCIPAL BUILDING COVERAGE	as per formula:enter result sf		20%			
	G	21-26 IMPERMOUS COVERAGE	as per formula:enter result 30%sf maximum		N/A	X	Χ	X
	Н	21-27 PRINCIPAL BUILDING SQUARE FOOTAGE	as per formula:enter A, B, or C (circle one) result sf		A: 15%sf not to exceed 500 sf			
	I	21-28 THIRD STORY	as per formula:enter result sf		15%sf			
DESIGN STANDARDS	J	21-29 PRINCIPAL BUILDING FRONT FAÇADE	50' feet or, 2/3 lot width (whichever is less)		100%			
	K	21-29 PRINCIPAL BUILDING SIDEFAÇADE	30 feet (wall length)		100%			
	L	21-30 BUILDING ORIENTATION	towards ocean, excluding marsh and ocean lots		Adjust for Neighborhood Compatablity			
	М	21-30 BLDG. FOUNDATION HEIGHT	8' to LSM & 9'4" to FFE		1 foot			
	N	21-32 FOUNDATION ENCLOSURE	1/2" space		Adjust for Neighborhood Compatablity			
	0	21-138 ACCESSORY STRUCTURE	Height (15) Setback (20) Area 625' footprint and 750' total		40%(4') 20% Area 750'-900'			

NEIGHBORHOOD COMPATIBILTY WORKSHEET (PAGE 3)

Have you reached out to the neighbors to get their feedback on the proposed plans? Yes:No:
In accordance with the Sullivan's Island Zoning Ordinance, Section 21-111, the DRB shall only grant modifications of the Zoning Ordinance standards if the design is compatible with the surrounding neighborhood. See the DRB application submittal guidance document for additional information for filling in this form.
Principal Building Square Footage (21-27): Existing SF:Standard SF:Proposed SF:
Principal Building Coverage (21-25): Existing SF:Standard SF:Proposed SF:
Front Side Building Setbacks (21-22): Standard, combined Proposed, combined, min
Second Story Side Façade Setback (21-22): Requested relief:
Principal Building Front/Side Façade Setback (21-29): Requested Relief:
Other (circle any that apply): Third Story, Principal Building Front Façade, Building Orientation, Building Foundation Height, Foundation Enclosure, or Accessory Structure:

REQUEST FOR HISTORIC DESIGN REVIEW (PAGE 4)

REQUEST FOR HISTORIC DESIGN REVIEW (FAGE 4)			
lf y	Do you propose any exterior changes to the historic structure? Yes:No: you answered "yes", please provide a detailed explanation and sequence of the work below:		
Subr prese Treat char elem	n 21-97. C Historic Preservation Standards: nit in writing and be prepared to describe how your project is consistent with the following ten ervation standards, and the most recent version of the Secretary of Interior's Guidelines for the ment of Historic Properties. **On your elevation drawings show all existing conditions and proposed nges. Detail existing materials and highlight all new and preserved architectural and structural nents. s://www.nps.gov/tps/standards/treatment-guidelines-2017.pdf		
(a)	Using a property as it was used historically or giving a new use that requires minimal change to its distinctive materials, features, spaces, and spatial relationships;		
(b)	Retaining and preserving the historic character of a property; avoidance of the removal of distinctive materials or alteration of features, spaces, and spatial relationships that characterize a property;		
(c)	Avoiding changes that create a false sense of historical development, such as adding conjectural features or elements from other buildings;		
(d)	Retaining and preserving changes to a property that have acquired historic significance in their own right;		
(e)	Preserving distinctive materials, features, finishes, and construction techniques or examples of craftsmanship that characterize a property;		
(f)	Repairing rather than replacing deteriorated historic features; or where the severity of deterioration requires replacement of a distinctive feature, the new feature will match the old in design, color, texture, and, where possible, materials;		
(g)	Utilizing the gentlest means of chemical or physical treatments;		
(h)	Protecting and preserving the archeological resources in place, and if disturbing, mitigation measures will be undertaken;		
(i)	Not destroying historic materials, features, and spatial relationships that characterize the property; differentiating the new work from the old and making it compatible with the historic materials, features, size, scale, and proportion, and massing to protect the integrity of the property and its environment; and,		
(j)	Undertaking new construction in such a manner that, if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.		

(Please use extra sheet as needed)